

Document type Safety Data Sheet

1. Product identification

1.1 Trading Name BETON STUCCO, BETON STUCCO WHITE

1.2 Type of product and use Hydraulic lime and Portland cement-based decorative wall coating in powder form

1.3 Producer Stucco Italiano Srl

Via Rovereto 20 – 36030 Costabissara (VI) – Italy Tel.: +39 0444 700 991, Email: info@stuccoitaliano.it

web: www.stuccoitaliano.com

1.4 Emergency contact num. Technical information: Stucco Italiano Srl office +39 0444 700 991 (Monday-Friday

8.00-17.00); Mobile phone +39 340 3058872 (Saturday and Sunday)

2. Identification of hazards

2.1 Classification of the substance or mixture

According to regulation (EC) No 1272/2008 (CLP)

Signal	Hazard class	Hazard category	Hazard statement
Danger	Eye damage	1	H318: Causes serious eye damage
Warning	Skin irritation	2	H315: Causes skin irritation
Warning	Skin sensitisation	1B	H317: May cause an allergic skin reaction
Warning	STOT SE 3		H335: May cause respiratory irritation

2.2 Label Elements

Hazard pictograms



Signal word Danger, Warning

Hazard statements: H318: Causes serious eye damage

H315: Causes skin irritation

H317: May cause an allergic skin reaction H335: May cause respiratory irritation

Precaution statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

 ${\tt P280~Wear~protective~gloves/clothing~and~eye/face~protection}.$

P302+P352 IF ON SKIN: Wash with plenty of water.

SDS BETON STUCCO 4 April 2023 1 of 9



P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention

P501 Dispose of contents / container in accordance with national regulations

Supplemental Information None

Contains Calcium hydroxide

Portland cement Cr(VI) < 2 ppm

2.3 Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other hazards No other hazards

3. Composition

3.1 Substances N.A.

3.2 Mixtures Hazardous components within the meaning of the CLP regulation and related

classification:

Quantity	Name	Identification number	Classification
>= 3% - < 6%	Calcium hydroxide	CAS: 1305-62-0	3.2/2 Skin irritation
		EC: 215-137-3	3.3/1 Eye Dam. 1 H318
		REACH No.: 01-2119475151-45-XXXX	3.8/3 STOT SE 3 H335
>= 22% - < 27%	Portland cement	CAS: 65997-15-1	3.8/3 STOT SE 3 H335
		EC: 266-043-4	32/2 Skin Irrit. 2 H315
			3.3/1 Eye Dam. 1 H318
			3.4.2/1B Skin. Sens. 1B H317

4. First-aid measures

4.1 First aid measures:

Contact with skin Immediately take off all contaminated clothing. Seek immediate medical advice. After

contact with skin, wash immediately with soap and plenty of water

Contact with eyes After contact with the eyes, rinse with water with the eyelids open for a sufficient length

of time. Seek medical advice. Do not use eye drops or any kind of lotion unless

prescribed by a specialist. Do not rub the eyes.

Ingestion Do not induce vomiting. Seek medical advice immediately

Inhalation Seek medical advice immediately. Move the person to fresh air, away from the scene of

the accident

4.2 Most important symptoms None

4.3 Medical attention In case of unwellness, seek medical advice immediately

Treatment None

5. Firefighting measures

SDS BETON STUCCO 4 April 2023 2 of 9



5.1 Extinguishing media Suitable media:

Water

Carbon dioxide (CO2)

Media which must not be used:

None in particular

5.2 Special hazardsDo not inhale explosion and combustion gases

Burning produces heavy smoke

5.3 Advice for firefighters Use suitable breathing apparatus

Collect contaminated fire extinguishing water separately. This must not be discharged

into drains

Move undamaged containers from immediate hazard area if it can be done safely

6. Accidental release measures

6.1 Individual precautionsWear protective garments, gloves, glasses

Wear breathing apparatus if exposed to dusts

Provide adequate ventilation

Use appropriate respiratory protections See protective measures under point 7 and 8

6.2 Environmental precaution Do not allow to enter soil / subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it

In case of gas escape or of entry into waterways, soil or drains, inform the responsible

authorities. Suitable material for taking up: absorbing material, organic, sand

6.3 Cleaning methodsCollect as much product as possible, possibly absorb the residue with inert material.

Wash the area with water. Remove everything in compliance with the relevant

regulation.

7. Handling and storage

7.1 Handling precautions Avoid contact with skin and eyes, inhalation of dusts and mists

Do not eat or drink during handling Use with adequate ventilation Avoid inhalation of vapours and mists

Don't use empty container before they have been cleaned

Contaminated clothing should be changed before entering eating areas.

7.2 Incompatible materials Keep away from food and drink

Storage conditions Keep the containers properly closed, in a clean, dry and dark space at a temperature

between +5°C and +30°C.

8. Individual control

8.1 Control parameters Calcium hydroxide – CAS: 1305-62-0

OEL Type: EU - TWA(8h): 1 mg/m3 - STEL: 4 mg/m3 - Notes: Respirable fraction OEL

Type: ACGIH - TWA(8h): 5 mg/m3 - Notes: Eye, URT and skin irritation

Portland cement - CAS: 1305-62-0

SDS BETON STUCCO 4 April 2023 3 of 9



OEL Type: ACGIH - TWA(8h): 1 mg/m3 - Notes: (E,R), A4 - Pulm func, resp

symptoms, asthma

DNEL Exposure Limit Values Calcium hydroxide - CAS: 1305-62-0

Worker Professional: 4 mg/m3 - Consumer: 4 mg/m3 - Exposure: Human Inhalation -

Frequency: Short Term, local effects

Worker Professional: 1 mg/m3 - Consumer: 1 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, local effects

Portland cement -CAS: 65997-15-1

Worker professional: 0.001 mg/l – Exporure: Human inhalation

PNEC Exposure Limit Values Calcium hydroxide - CAS: 1305-62-0

Target: Fresh Water - Value: 0.49 mg/l Target: Marine water - Value: 0.32 mg/l

Target: Microorganisms in sewage treatments - Value: 3 mg/l Target: Soil (agricultural)

- Value: 1080 mg/kg

8.2 Exposure controls

Precautionary measures

Do not eat or drink during work, wash hands at every break and at the end of work.

Breathing protection

Use respiratory protection where ventilation is insufficient or exposure is prolonged

Hands protection Use protective gloves that provide comprehensive protection (PVC,neoprene or rubber)

Eyes protection Use close fitting safety glasses with side shields, don't use eye lenses

Skin protection Use clothing that provides comprehensive protection to the skin (cotton, rubber, PVC)

Exposure limits No safety measures for normal use.

Thermal hazards None
Environmental exposure None
Engineering controls None

9. Chemical / Physical characteristics

Physical state Solid, powder

Colour BETON STUCCO: grey; BETON STUCCO WHITE: white

Odour Weak

pH value 11.5 ± 0.50

N.A. Melting / freezing point: **Boiling point** N.A. boiling range N.A. Water solubility N.A. Specific weight N.A. N.A. **Flammability** Vapour density N.A. N.A. Flash point:

SDS BETON STUCCO 4 April 2023 4 of 9



Vapour pressure N.A. **Evaporation rate** N.A. **Relative density** N.A. Solubility in oil N.A. **Partition coefficient** N.A. **Auti-ignition temperature** N.A. **Decomposition temperature** N.A. **Viscosity** N.A. **Explosive properties** N.A. **Oxidising properties** N.A. 9.2 Other information N.A. **Miscibility** N.A. **Fat Solublity** N.A. Conductivity N.A. **Substange groups** N.A.

10. Stability and reactivity

10.1 Reactivity Stable under normal conditions10.2 Chemical stability Stable under normal conditions

10.3 Hazardous reactions None

10.4 Conditions to avoidNone in particular. Stable in normal conditions.

10.5 Incompatible materials None in particular.

10.6 Decomposition hazards None

11. Toxicological information

11.1 Toxicological effectSpecific toxicological information not availableAcute toxicityNot classified. No data available for the productSkin irritationThe product is classified: Skin irritation 2 H315Serious eye damageThe product is classified: Eye damage 1 H318

Respiratory sensitisation The product is classified: May cause respiratory irritation STOT SE 3 H335

Skinn sensitiation The product is classified: May cause an allergic skin reaction 1B H317

Germ cell mutagenicity

Not classified. No data available for the product

Reproductive toxicity

Not classified. No data available for the product

Not classified. No data available for the product

STOT-single exposure

The product is classified: STOT SE 3 H335

STOT-repeated exposure

Not classified. No data available for the product

Aspiration hazards

Not classified. No data available for the product

SDS BETON STUCCO 4 April 2023 5 of 9



Toxicological information of

Calcium hydroxide - CAS: 1305-62-0

the main substances found in

a) acute toxicity:

the product

Test LD50 – Route: Oral – Species: Rat > 2000 mg/kg Test: LD50 – Route: Skin – Species: Rabbit > 2500 mg/kg

11.2 Other hazards Endocrine disrupting properties: No endocrine disruptor substances present in

concentration >= 0.1%

12. Ecological information

12.1 Toxicity Do not disperse the product in the environment.

Waste waters and residues do not have to be poured into drains, into the ground or in

watercourses.

Not classified for environmental hazards.

No data available for the product

Aquatic acute toxicity Endpoint: LC50 - Species: Fish 50.6 mg/l - Duration h: 96 - Notes: tap water Endpoint:

LC50 - Species: Fish 457 mg/l - Duration h: 96 - Notes: see water Endpoint: EC50 -

Species: Daphnia 49.1 mg/l - Duration h: 48 - Notes: tap water

Endpoint: LC50 - Species: Daphnia 158 mg/l - Duration h: 96 - Notes: see water Endpoint: EC50 - Species: Algae 184.57 mg/l - Duration h: 72 - Notes: tap water Endpoint: NOEC - Species: Algae 48 mg/l - Duration h: 72 - Notes: see water

Aquatic chronic toxicity

Endpoint: NOEC - Species: Daphnia 32 mg/l - Duration h: 96

Terrestrial toxicity

Endpoint: NOEC 2000 mg/kg - Notes: macroorganism Endpoint: NOEC 12000 mg/kg -

Notes: microorganism

Plant toxicity Endpoint: NOEC 1080 mg/kg - Duration h: 21 - Notes: days

12.1 Persistence degradab. N.A.12.3 Bioaccumulative poten. N.A.12.4 Mobility un soil N.A.

12.5 PBT, vPvB assessment cPvB substances: None – PBT substances: none

12.6 Other adverse effects None

13. Information on disposal

Waste treatment methods Disposal of product residues and waste deriving from its use as well as empty

containers must be in compliance with current local regulations (EU: as per Leg.

Decree 22 dated 5/2/97).

14. Information on transport

14.1 UN number The product is not dangerous under current provisions of the Code of International

Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport

Association (IATA) regulations.

By road non-hazardous material, non-flammable, non-explosive, not subject to regulation

(A.D.R.)

By rail non-hazardous material, non-flammable non-explosive, not subject to regulation (RID)

SDS BETON STUCCO 4 April 2023 6 of 9



By sea non-hazardous material, non-flammable, non-explosive, not subject to regulation

(IMDG Code)

By air non-hazardous material, non-flammable, non-explosive, not subject to regulation (IATA)

For US Department of Proper shipping name: none

Transportation: Hazard Class: none

ID Number: none
Packaging Group: none

15. Regulatory information

15.1 Safety, health and Dir. 98/24/EC (Risks related to chemical agents at work)

environmental Dir. 2000/39/EC (Occupational exposure limit values)

regulations/legislation specific for Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

the substance or mixture

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU)

2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13

CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex

XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: Restriction 3

Restrictions related to the substances contained: No restriction.

Where applicable, refer to the following regulatory provisions: Directive 2012/18/EU

(Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso

III): Seveso III category according to Annex 1, part 1: None

15.2 Chemical safety No Chemical Safety Assessment has been carried out for the mixture.

16. Other information

In conformity with the provisions of Leg. Decree 03/65 and Directive 99/45 EC the product is labeled as follows:

Signal	Hazard class	Hazard category	Hazard statement
Danger	Eye damage	1	H318: Causes serious eye damage
Warning	Skin irritation	2	H315: Causes skin irritation
Warning	Skin sensitisation	1B	H317: May cause an allergic skin reaction

SDS BETON STUCCO 4 April 2023 7 of 9



Warning	STOT SE 3	H335: May cause
		respiratory irritation

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP)

Classification according to Regulation (EC) n. 1272/2008	Classification procedure
Eye Damage 1, H318	Calculation method
Skin Irritation 2, H315	Calculation method
Skin Sensitisation 1b H317	Calculation method
STOT SE 3, H335	Calculation method

ADR European Agreement concerning International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

ATEMix Acute toxicity Estimate (Mixtures)

CAS Chemical Abstracts Service (division of the American Chemical Society).

CLP Classification, Labeling, Packaging.

DNEL Derived No Effect Level.

EINECS European Inventory of Existing Commercial Chemical Substances.

GefStoffVO Ordinance on Hazardous Substances, Germany.

GHS Globally Harmonized System of Classification and Labeling of Chemicals.

IATA International Air Transport Association.

IATA-DGR Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO International Civil Aviation Organization.

ICAO-TI Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG International Maritime Code for Dangerous Goods.

INCI International Nomenclature of Cosmetic Ingredients.

KSt Explosion coefficient.

Lc50 Lethal concentration, for 50 percent of test population.

LD50 Lethal dose, for 50 percent of test population

PNEC Predicted No Effect Concentration.

RID Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL Short Term Exposure limit.

STOT Specific Target Organ Toxicity.

TLV Threshold Limiting Value.

SDS BETON STUCCO 4 April 2023 8 of 9



TWA Time-weighted average

WGK German Water Hazard Class.

The information contained herein is based on our knowledge at the date given below, refers only to the product indicated and does not represent a guarantee of particular qualities.

The user has to make sure of the suitability and completeness of such information in relation with the specific use and always under his responsibility act in accordance with the regulation on health, safety and environmental protection, provided by current laws.

The manufacturer declines all liability for improper use.

This SDS cancels and replaces any preceding release.