

| Document type | Safety Data Sheet | | | |
|---|--|--|--|--|
| 1. Product identification | | | | |
| 1.1 Trading Name | OXIDE METAL IRON | | | |
| 1.2 Type of product and use | Acrylic-based decorative wall paint | | | |
| 1.3 Producer | Stucco Italiano SrI Via Rovereto 20 – 36030 Costabissara (VI) – Italy Tel.: +39 0444 700 991, Email: info@stuccoitaliano.it web: www.stuccoitaliano.com | | | |
| 1.4 Emergency contact num. | Technical information: Stucco Italiano Srl office +39 0444 700 991 (Monday-Friday 8.00–17.00); Mobile phone +39 340 3058872 (Saturday and Sunday) | | | |
| 2. Identification of hazard | S | | | |
| 2.1 Classification of the substant | nce or mixture | | | |
| EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). | | | | |
| 2.2 Label Elements | | | | |
| The product is not classified as d | angerous according to Regulation EC 1272/2008 (CLP). | | | |
| Hazard pictograms | None | | | |
| Signal word | None | | | |
| Precaution statements | None | | | |
| Special provisions | EUH208: Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2- methyl-2H-isothiazol-3-one. May produce an allergic reaction. | | | |
| 2.3 Other hazards | No PBT, vPvB or endocrine disruptor substances present in concentration $>= 0.1\%$. No other hazards. | | | |
| 3. Composition | | | | |
| 3.1 Substances | N.A. | | | |
| 3.2 Mixtures | Hazardous components within the meaning of the CLP regulation and related classification: | | | |

| Quantity | Name | Identification number | Classification |
|-------------------------|--|-----------------------|--|
| >= 0. 0002% - < 0. 003% | Reaction mass of 5-chloro- 2-methyl-4-isothiazolin-3- one and 2-methyl-2H- isothiazol-3-one | CAS: 55965-84-9 | >= 0. 0015% - < 0. 06% Skin Sens. 1A H317 |

4. First-aid measures

4.1 First aid measures:

| SDS OXIDE | METAL | IRON |
|-----------|-------|------|
|-----------|-------|------|

4 April 2023

1 of 7

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1



| Contact with skin | Immediately take off all contaminated clothing. After contact with skin, wa immediately with soap and plenty of water and seek medical advice if skin arouses. | |
|------------------------------|--|---------------|
| Contact with eyes | After contact with the eyes, rinse with water with the eyelids open for a su of time. Seek medical advice. Do not use eye drops or any kind of lotion of prescribed by a Specialist. | - |
| Ingestion | Do not induce vomiting. Seek medical advice immediately | |
| 4.2 Most important symptoms | None | |
| 4.3 Medical attention | In case of unwellness, seek medical advice immediately | |
| Treatment | None | |
| 5. Firefighting measures | | |
| 5.1 Extinguishing media | Suitable media: Water Carbon dioxide (CO2) Media which must not be used: None in particular | |
| 5.2 Special hazards | Do not inhale explosion and combustion gases Burning produces heavy smoke | |
| 5.3 Advice for firefighters | Use suitable breathing apparatus Collect contaminated fire extinguishing water separately. This must not be into drains Move undamaged containers from immediate hazard area if it can be don | - |
| 6. Accidental release mea | asures | |
| 6.1 Individual precautions | Wear protective garments, gloves, glasses Remove person to safety See protective measures under point 7 and 8 | |
| 6.2 Environmental precaution | Do not allow to enter soil / subsoil. Do not allow to enter into surface wate Retain contaminated washing water and dispose it In case of gas escape or of entry into waterways, soil or drains, inform the authorities. Suitable material for taking up: absorbing material, organic, sa | e responsible |
| 6.3 Cleaning methods | Collect as much product as possible, possibly absorb the residue with ine Wash the area with water. Remove everything in compliance with the rele regulation. | ert material. |
| 7. Handling and storage | | |
| 7.1 Handling precautions | Avoid contact with skin and eyes Do not eat or drink during handling Use with adequate ventilation Avoid inhalation of vapours and mists Don't use empty container before they have been cleaned Contamined clothing should be changed before entering eating areas. | |
| 7.2 Incompatible materials | None in particular | |
| SDS OXIDE METAL IRON | 4 April 2023 | 2 of 7 |

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1



| Storage conditions | Keep the containers properly closed, in a clean, dry and dark space at a temperature between +5°C and +30°C. | | |
|--|--|--|--|
| 8. Individual control | | | |
| 8.1 Control parameters | No occupational exposure limit available | | |
| DNEL Exposure Limit Values | N.A. | | |
| PNEC Exposure Limit Values | N.A. | | |
| 8.2 Exposure controls | | | |
| Precautionary measures | Do not eat or drink during work, wash hands at every break and at the end of work. | | |
| Breathing protection | No safety measures for normal use. | | |
| Hands protection | No safety measures for normal use. | | |
| Eyes protection | No safety measures for normal use. | | |
| Skin protection | No safety measures for normal use. | | |
| Exposure limits | No safety measures for normal use. | | |
| Thermal hazards | None | | |
| Environmental exposure | None | | |
| Engineering controls | None | | |
| 9. Chemical / Physical characteristics | | | |

| Physical state | Creamy |
|---------------------------|-----------|
| Colour | Dark grey |
| Odour | Weak |
| pH value | N.A. |
| Melting / freezing point: | N.A. |
| Boiling point | N.A. |
| boiling range | N.A. |
| Water solubility | N.A. |
| Specific weight | N.A. |
| Flammability | N.A. |
| Vapour density | N.A. |
| Flash point: | N.A. |
| Vapour pressure | N.A. |
| Evaporation rate | N.A. |
| Relative density | N.A. |
| Solubility in oil | N.A. |
| Partition coefficient | N.A. |
| Auti-ignition temperature | N.A. |
| | |

SDS OXIDE METAL IRON

4 April 2023



| Decomposition temperature | N.A. |
|---------------------------|------|
| Viscosity | N.A. |
| Explosive properties | N.A. |
| Oxidising properties | N.A. |
| 9.2 Other information | N.A. |
| Miscibility | N.A. |
| Fat Solublity | N.A. |
| Conductivity | N.A. |
| Substange groups | N.A. |

10. Stability and reactivity

| 10.1 Reactivity | Stable under normal conditions |
|-----------------------------|--|
| 10.2 Chemical stability | Stable under normal conditions |
| 10.3 Hazardous reactions | None |
| 10.4 Conditions to avoid | None in particular. Stable in normal conditions. |
| 10.5 Incompatible materials | None in particular. |
| 10.6 Decomposition hazards | None |
| | |

11. Toxicological information

| 11.1 Toxicological effect | Specific toxicological information not available |
|---|--|
| Acute toxicity | Not classified. No data available for the product |
| Skin irritation | The product is classified: Skin Sens. 1A H317 May cause an allergic reaction |
| Serious eye damage | Not classified. No data available for the product |
| Respiratory sensitisation | Not classified. No data available for the product |
| Germ cell mutagenicity | Not classified. No data available for the product |
| Carcinogenicity | Not classified. No data available for the product |
| Reproductive toxicity | Not classified. No data available for the product |
| STOT-single exposure | Not classified. No data available for the product |
| STOT-repeated exposure | Not classified. No data available for the product |
| Aspiration hazards | Not classified. No data available for the product |
| Toxicological information of the main substances found in the product | N.A. |

12. Ecological information

| | ~ | | _ | | | | | |
|---|----|---|----|---|----|---|-----|--|
| 1 | 2. | 1 | 11 | 0 | XI | С | ity | |

Do not disperse the product in the environment.

Waste waters and residues do not have to be poured into drains, into the ground or in watercourses.



| | Not classified for environmental hazards. No data available for the product |
|-----------------------------|--|
| Aquatic acute toxicity | reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one - CAS: 55965-84-9 Endpoint: EC50 - Species: Daphnia 0.1 mg/l - Duration h: 48 - Notes: daphnia magna Endpoint: EC50 - Species: Algae 0.048 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata Endpoint: EC50 - Species: Fish 0.22 mg/l - Duration h: 96 - Notes: oncorhynchus mykiss Endpoint: NOEC - Species: Algae 0.00064 mg/l - Duration h: 48 - Notes: skeletonema costatum Endpoint: NOEC - Species: Daphnia 0.004 mg/l - Duration h: 504 - Notes: daphnia magna Endpoint: NOEC - Species: Fish 0.098 mg/l - Duration h: 672 - Notes: oncorhynchus mykiss Endpoint: NOEC - Species: Algae 0.0012 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata |
| 12.1 Persistence degradab. | N.A. |
| 12.3 Bioaccumulative poten. | reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one - CAS: 55965-84-9 Not bioaccumulative - Test: BCF - Bioconcentrantion factor 3.16 - Notes: (calculated) S 1177 Not bioaccumulative - Test: Kow - Partition coefficient 0.71 - Notes: (n- octanol/water) S 5 |
| 12.4 Mobility un soil | N.A. |
| 12.5 PBT, vPvB assessment | cPvB substances: None – PBT substances: none |
| 12.6 Other adverse effects | None |
| 13. Information on dispos | sal |
| Waste treatment methods | Disposal of product residues and waste deriving from its use as well as empty containers must be in compliance with current local regulations (EU: as per Leg. Decree 22 dated 5/2/97). |
| 14. Information on transp | ort |
| 14.1 UN number | The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations. |
| By road | non-hazardous material, non-flammable, non-explosive, not subject to regulation (A.D.R.) |
| By rail | non-hazardous material, non-flammable non-explosive, not subject to regulation (RID) |
| By sea | non-hazardous material, non-flammable, non-explosive, not subject to regulation (IMDG Code) |
| By air | non-hazardous material, non-flammable, non-explosive, not subject to regulation (IATA) |
| For US Department of | Proper shipping name: none |
| Transportation: | Hazard Class: none |
| | ID Number: none |
| | Packaging Group: none |
| | |

SDS OXIDE METAL IRON

4 April 2023

5 of 7

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1



15. Regulatory information

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 618/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: Restriction 3 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 : None |
|--|---|
| 15.2 Chemical safety | No Chemical Safety Assessment has been carried out for the mixture. |

16. Other information

In conformity with the provisions of Leg. Decree 03/65 and Directive 99/45 EC the product is labeled as follows:

EUH208: Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|------------|--|
| ATE | Acute Toxicity Estimate |
| ATEMix | Acute toxicity Estimate (Mixtures) |
| CAS | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP | Classification, Labeling, Packaging. |
| DNEL | Derived No Effect Level. |
| EINECS | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO | Ordinance on Hazardous Substances, Germany. |
| GHS | Globally Harmonized System of Classification and Labeling of Chemicals. |
| | |

SDS OXIDE METAL IRON

4 April 2023

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1

www.stuccoitaliano.com



| ΙΑΤΑ | International Air Transport Association. |
|----------|---|
| IATA-DGR | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO | International Civil Aviation Organization. |
| ICAO-TI | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG | International Maritime Code for Dangerous Goods. |
| INCI | International Nomenclature of Cosmetic Ingredients. |
| KSt | Explosion coefficient. |
| LC50 | Lethal concentration, for 50 percent of test population. |
| LD50 | Lethal dose, for 50 percent of test population |
| PNEC | Predicted No Effect Concentration. |
| RID | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL | Short Term Exposure limit. |
| STOT | Specific Target Organ Toxicity. |
| TLV | Threshold Limiting Value. |
| TWA | Time-weighted average |
| WGK | German Water Hazard Class. |
| | |

The information contained herein is based on our knowledge at the date given below, refers only to the product indicated and does not represent a guarantee of particular qualities.

The user has to make sure of the suitability and completeness of such information in relation with the specific use and always under his responsibility act in accordance with the regulation on health, safety and environmental protection, provided by current laws.

The manufacturer declines all liability for improper use.

This SDS cancels and replaces any preceding release.

SDS OXIDE METAL IRON

4 April 2023

www.stuccoitaliano.com