

Document type	Safety Data Sheet
1. Product identification	
1.1 Trading Name	DEKO PRIMER
1.2 Type of product and use	Acrylic water-based primer
1.3 Producer	Stucco Italiano SrI Via Rovereto 20 – 36030 Costabissara (VI) – Italy Tel.: +39 0444 700 991, Email: info@stuccoitaliano.it web: www.stuccoitaliano.com
1.4 Emergency contact num.	Technical information: Stucco Italiano Srl office +39 0444 700 991 (Monday-Friday 8.00–17.00); Mobile phone +39 340 3058872 (Saturday and Sunday)
2. Identification of hazard	S
2.1 Classification of the substa	nce or mixture
EC regulation criteria 1272/2008 (CLP).	(CLP) The product is not classified as dangerous according to Regulation EC 1272/2008
2.2 Label Elements	
The product is not classified as d	angerous according to Regulation EC 1272/2008 (CLP).
Hazard pictograms	None
Signal word	None
Precaution statements	None
Special provisions	EUH208: contains 5-chloro-2-methyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3- one; and 1,2-benzisothiazol-3(2H)-one. It may cause an allergic reaction.
2.3 Other hazards	No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$ . No other hazards.
3. Composition	
3.1 Substances	N.A.
3.2 Mixtures	Hazardous components within the meaning of the CLP regulation and related classification:

Quantity	Name	Identification number	Classification
>= 0.01% - < 0.05%	1,2-benzisothiazol3(2H)-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	3.1/2/Inhale Acute Tox. 2 H330 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 3.1/4/Oral Acute Tox. 4 H302 4.1/A1 Aquatic Acute 1 H400 M=1 4.1/C2 Aquatic Chronic 2 H411 M=1 Specific Concentration Limits: C >= 0,05%: Skin Sens. 1 H317

SDS DEKO PRIMER

Last update: 3 May 2023

1 of 8

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1

www.stuccoitaliano.com



	1	1	
>= 0. 00015% -	5-chloro-2-methyl-2H-	Index number: 613-167-00-5	3.1/2/Inhale Acute Tox. 2 H330
< 0. 0015%	isothiazol-3-one and 2-methyl-	CAS: 55965-84-9	3.1/2/Dermal Acute Tox. 2 H310
	2H-isothiazol-3-one		3.1/3/Oral Acute Tox. 3 H301
			3.2/1C Skin Corr. 1C H314
			3.3/1 Eye Dam. 1 H318
			3.4.2/1A Skin Sens. 1A H31
			4.1/A1 Aquatic Acute 1 H400
			M=100.
			4.1/C1 Aquatic Chronic 1 H410
			M=100.
			EUH071 Specific Concentration
			Limits:
			C >= 0,6%: Skin Corr. 1C H314
			0,06% <= C < 0.6%: Skin Irrit. 2
			H315
			C >= 0,6%: Eye Dam. 1 H318
			0,06% <= C < 0.6%: Eye Irrit. 2
			H319
			C >= 0,0015%: Skin Sens. 1A H317

4. First-aid measures		
4.1 First aid measures:		
Contact with skin	Immediately take off all contaminated clothing. After contact with skin, was immediately with soap and plenty of water and seek medical advice if skin arouses.	
Contact with eyes	After contact with the eyes, rinse with water with the eyelids open for a suf of time. Seek medical advice. Do not use eye drops or any kind of lotion u prescribed by a Specialist.	•
Ingestion	Do not induce vomiting. Seek medical advice immediately	
Inhalation	Remove casualty to fresh air and keep warm and at rest	
4.2 Most important symptoms	None	
4.3 Medical attention	In case of unwellness, seek medical advice immediately	
Treatment	None	
5. Firefighting measures		
5.1 Extinguishing media	Suitable media: Water Carbon dioxide (CO2) Media which must not be used: None in particular	
5.2 Special hazards	Do not inhale explosion and combustion gases Burning produces heavy smoke	
SDS DEKO PRIMER	Last update: 3 May 2023	2 of 8



5.3 Advice for firefighters	Use suitable breathing apparatus Collect contaminated fire extinguishing water separately. This must not be into drains Move undamaged containers from immediate hazard area if it can be don	
6. Accidental release mea	asures	
6.1 Individual precautions	Wear protective garments, gloves, glasses Remove person to safety See protective measures under point 7 and 8	
6.2 Environmental precaution	Do not allow to enter soil / subsoil. Do not allow to enter into surface wate Retain contaminated washing water and dispose it In case of gas escape or of entry into waterways, soil or drains, inform the authorities. Suitable material for taking up: absorbing material, organic, sa	e responsible
6.3 Cleaning methods	Collect as much product as possible, possibly absorb the residue with ine Wash the area with water. Remove everything in compliance with the rele regulation.	
7. Handling and storage		
7.1 Handling precautions	Avoid contact with skin and eyes Do not eat or drink during handling Use with adequate ventilation Avoid inhalation of vapours and mists Don't use empty container before they have been cleaned Contamined clothing should be changed before entering eating areas.	
7.2 Incompatible materials	None in particular	
Storage conditions	Keep the containers properly closed, in a clean, dry and dark space at a t between $+5^{\circ}$ C and $+30^{\circ}$ C.	emperature
8. Individual control		
8.1 Control parameters	No occupational exposure limit available	
<b>DNEL Exposure Limit Values</b>	N.A.	
PNEC Exposure Limit Values	N.A.	
8.2 Exposure controls		
Precautionary measures	Do not eat or drink during work, wash hands at every break and at the end	d of work.
Breathing protection	No safety measures for normal use.	
Hands protection	No safety measures for normal use.	
Eyes protection	No safety measures for normal use.	
Skin protection	No safety measures for normal use.	
Exposure limits	No safety measures for normal use.	
Thermal hazards	None	
Environmental exposure	None	
Engineering controls	None	
SDS DEKO PRIMER	Last update: 3 May 2023	3 of 8



9. Chemical / Physical ch	aracteristics	
Physical state	Liquid	
Colour	White	
Odour	Characteristic	
pH value	N.A.	
Melting / freezing point:	N.A.	
Boiling point	N.A.	
boiling range	N.A.	
Water solubility	N.A.	
Specific weight	N.A.	
Flammability	N.A.	
Vapour density	N.A.	
Flash point:	N.A.	
Vapour pressure	N.A.	
Evaporation rate	N.A.	
Relative density	N.A.	
Solubility in oil	N.A.	
Partition coefficient	N.A.	
Auti-ignition temperature	N.A.	
Decomposition temperature	N.A.	
Viscosity	N.A.	
Explosive properties	N.A.	
Oxidising properties	N.A.	
9.2 Other information	N.A.	
Miscibility	N.A.	
Fat Solublity	N.A.	
Conductivity	N.A.	
Substange groups	N.A.	
10. Stability and reactivit	y	
10.1 Reactivity	Stable under normal conditions	
10.2 Chemical stability	Stable under normal conditions	
10.3 Hazardous reactions	None	
10.4 Conditions to avoid	None in particular. Stable in normal conditions.	
10.5 Incompatible materials	None in particular.	
10.6 Decomposition hazards	None	
SDS DEKO PRIMER	Last undate: 3 May 2023	A of 9
SUS DENU FRIMER	Last update: 3 May 2023	4 of 8

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1



11	Toxico	logical	information
		logical	muuuu

11.1 Toxicological effect	Specific toxicological information not available
Acute toxicity	Not classified. No data available for the product
Skin irritation	The product is classified: EUH208: contains 5-chloro-2-methyl-2H-isothiazol-3-one, 2- methyl-2H-isothiazol-3-one, and 1,2-benzisothiazol-3(2H)-one. It may cause an allergic reaction
Serious eye damage	Not classified. No data available for the product
<b>Respiratory sensitisation</b>	Not classified. No data available for the product
Germ cell mutagenicity	Not classified. No data available for the product
Carcinogenicity	Not classified. No data available for the product
Reproductive toxicity	Not classified. No data available for the product
STOT-single exposure	Not classified. No data available for the product
STOT-repeated exposure	Not classified. No data available for the product
Aspiration hazards	Not classified. No data available for the product
Toxicological information of the main substances found in the product	N.A.
12. Ecological information	1

12.1 Toxicity	Do not disperse the product in the environment.	
	Waste waters and residues do not have to be poured into drains, into the	ground or in
	watercourses. Not classified for environmental hazards.	
	No data available for the product	
Aquatic acute toxicity	1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5	
Aquallo abuto toxiolty	a) Aquatic acute toxicity:	
	Endpoint: EC10 - Species: Algae 0.04 mg/l - Duration h: 72 - Notes: (Sele capricornutum) (OECD 201)	nastrum
	Endpoint: EC50 - Species: Algae 0.11 mg/l - Duration h: 72 - Notes: (Sele capricornutum) (OECD 201) S2238	nastrum
	Endpoint: EC50 - Species: Daphnia 3.27 mg/l - Duration h: 48 - Notes: (O	ECD 202) S
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- one - CAS: 55965-84-9	sothiazol-3-
	Endpoint: EC50 - Species: Daphnia 0.1 mg/l - Duration h: 48 - Notes: dap	hnia magna
	Endpoint: EC50 - Species: Algae 0.048 mg/l - Duration h: 72 - Notes:	Duration by
	pseudokirchneriella subcapitata Endpoint: EC50 - Species: Fish 0.22 mg/l - Duration h: 96 - Notes: oncorhynchus mykiss Endpoint: NOEC - Species: Algae 0.00064 mg/l -	
	Duration h: 48 - Notes: skeletonema costatum Endpoint: NOEC - Species	
	0.004 mg/l - Duration h: 504 - Notes: daphnia magna Endpoint: NOEC - S	-
	0.098 mg/l - Duration h: 672 - Notes: oncorhynchus mykiss Endpoint: NOI	-
	Algae 0.0012 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapita	la
SDS DEKO PRIMER	Last update: 3 May 2023	5 of 8



12.1 Persistence degradab.	N.A.
12.3 Bioaccumulative poten.	1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5 Test: Kow - Partition coefficient 0.7 - Notes: (n-octanol/water) OECD 117 Log Kow (HPLC method) Test: BCF - Bioconcentrantion factor 6.95 - Notes: (fish) OECD 305 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one - CAS: 55965-84-9 Not bioaccumulative - Test: BCF - Bioconcentrantion factor 3.16 - Notes: (calculated) S 1177 Not bioaccumulative - Test: Kow - Partition coefficient 0.71 - Notes: (n-
10.4 Mehility un seil	octanol/water) S 5 N.A.
12.4 Mobility un soil	cPvB substances: None – PBT substances: none
12.5 PBT, vPvB assessment 12.6 Other adverse effects	None
13. Information on dispos	
Waste treatment methods	Disposal of product residues and waste deriving from its use as well as empty containers must be in compliance with current local regulations (EU: as per Leg. Decree 22 dated 5/2/97).
14. Information on transp	ort
14.1 UN number	The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
By road	non-hazardous material, non-flammable, non-explosive, not subject to regulation (A.D.R.)
By rail	non-hazardous material, non-flammable non-explosive, not subject to regulation (RID)
By sea	non-hazardous material, non-flammable, non-explosive, not subject to regulation (IMDG Code)
By air	non-hazardous material, non-flammable, non-explosive, not subject to regulation (IATA)
For US Department of	Proper shipping name: none
Transportation:	Hazard Class: none
	ID Number: none
	Packaging Group: none

## 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regula 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP)	tion (EU)
SDS DEKO PRIMER	Last update: 3 May 2023	6 of 8

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1



Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: Restriction 3 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 : None No Chemical Safety Assessment has been carried out for the mixture. 15.2 Chemical safety

## 16. Other information

In conformity with the provisions of Leg. Decree 03/65 and Directive 99/45 EC the product is labelled as follows:

EUH208: contains 5-chloro-2-methyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3-one; and 1,2-benzisothiazol-3(2H)-one. It may cause an allergic reaction

ADR	European Agreement concerning the International Carriage of Dangerous C Road.	Goods by
ATE	Acute Toxicity Estimate	
ATEMix	Acute toxicity Estimate (Mixtures)	
CAS	Chemical Abstracts Service (division of the American Chemical Society).	
CLP	Classification, Labeling, Packaging.	
DNEL	Derived No Effect Level.	
EINECS	European Inventory of Existing Commercial Chemical Substances.	
GefStoffVO	Ordinance on Hazardous Substances, Germany.	
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.	
IATA	International Air Transport Association.	
IATA-DGR	Dangerous Goods Regulation by the "International Air Transport Associatio	n" (IATA).
ICAO	International Civil Aviation Organization.	
ICAO-TI	Technical Instructions by the "International Civil Aviation Organization" (ICA	<b>NO)</b> .
IMDG	International Maritime Code for Dangerous Goods.	
INCI	International Nomenclature of Cosmetic Ingredients.	
KSt	Explosion coefficient.	
SDS DEKO PRIMER	Last update: 3 May 2023	7 of 8



LC50	Lethal concentration, for 50 percent of test population.
LD50	Lethal dose, for 50 percent of test population
PNEC	Predicted No Effect Concentration.
RID	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL	Short Term Exposure limit.
STOT	Specific Target Organ Toxicity.
TLV	Threshold Limiting Value.
TWA	Time-weighted average
WGK	German Water Hazard Class.

The information contained herein is based on our knowledge at the date given below, refers only to the product indicated and does not represent a guarantee of particular qualities.

The user must make sure of the suitability and completeness of such information in relation with the specific use and always under his responsibility act in accordance with the regulation on health, safety and environmental protection, provided by current laws.

The manufacturer declines all liability for improper use.

This SDS cancels and replaces any preceding release.

SDS DEKO PRIMER

Last update: 3 May 2023

8 of 8

Stucco Italiano Srl Via Rovereto, 20 - 36030 Costabissara (VI), Italy | Tel +39 0444 700991 | info@stuccoitaliano.it C.F / VAT IT 03744780242 | SDI: M5UXCR1

www.stuccoitaliano.com