

Document type Safety Data Sheet

1. Product identification

1.1 Trading Name LAVA PLASTER

1.2 Type of product and use Hydrated lime-based decorative wall coating

1.3 Producer Stucco Italiano Srl

Via Rovereto 20 – 36030 Costabissara (VI) – Italy Tel.: +39 0444 700 991, Email: info@stuccoitaliano.it

web: www.stuccoitaliano.com

1.4 Emergency contact num. Technical information: Stucco Italiano Srl office +39 0444 700 991 (Monday-Friday

8.00-17.00); Mobile phone +39 340 3058872 (Saturday and Sunday)

2. Identification of hazards

2.1 Classification of the substance or mixture

According to regulation (EC) No 1272/2008 (CLP)

Hazard Class	Hazard category	Hazard statements
Skin irritation	2	H315: Causes skin irritation
Serious eye damage	1	H318: Causes serious eye damage

2.2 Label Elements

Hazard pictograms



Signal word Danger

Precaution statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents / container in accordance with national regulations

Supplemental Information Skin contact with wet lime: fresh lime or mortar may cause irritation, dermatitis or burns.

May cause damage to products made of aluminum or other non-noble metals.

Contains Calcium hydroxide

2.3 Other hazards Lime does not meet the criteria for PBT or vPvB in accordance with Annex XIII of

REACH (Regulation (EC) No 1907/2006). No other hazards.

3. Composition

3.1 Substances N.A.

SDS LAVA PLASTER 4 April 2023 1 of 8



3.2 Mixtures Hazardous components in compliance with Directive 67/578/EEC as amended, or for

which there are exposure limits:

Quantity	Name	Identification number	Classification
>= 21% - < 27%	Calcium hydroxide	Cas: 1305-62-0	3.2/2 Skin irritation
		EC: 215-137-3	3.3/1 Eye Dam. 1 H318
		REACH No.: 01-	3.8/3 STOT SE 3 H335
		2119475151-45-XXXX	

4. First-aid measures

4.1 First aid measures:

Contact with skin Immediately take off all contaminated clothing. Seek immediate medical advice. After

contact with skin, wash immediately with soap and plenty of water

Contact with eyes After contact with the eyes, rinse with water with the eyelids open for a sufficient length

of time. Seek medical advice. Do not use eye drops or any kind of lotion unless

prescribed by a Specialist.

Ingestion Do not induce vomiting. Seek medical advice immediately

4.2 Most important symptoms None

4.3 Medical attention In case of unwellness, seek medical advice immediately

Treatment None

5. Firefighting measures

5.1 Extinguishing media Suitable media:

Water

Carbon dioxide (CO2)

Media which must not be used:

None in particular

5.2 Special hazardsDo not inhale explosion and combustion gases

Burning produces heavy smoke

5.3 Advice for firefighters Use suitable breathing apparatus

Collect contaminated fire extinguishing water separately. This must not be discharged

into drains

Move undamaged containers from immediate hazard area if it can be done safely

6. Accidental release measures

6.1 Individual precautions Wear protective garments, gloves, glasses

Remove person to safety

See protective measures under point 7 and 8

6.2 Environmental precaution Do not allow to enter soil / subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it

SDS LAVA PLASTER 4 April 2023 2 of 8



In case of gas escape or of entry into waterways, soil or drains, inform the responsible

authorities. Suitable material for taking up: absorbing material, organic, sand

6.3 Cleaning methodsCollect as much product as possible, possibly absorb the residue with inert material.

Wash the area with water. Remove everything in compliance with the relevant

regulation.

7. Handling and storage

7.1 Handling precautions Avoid contact with skin and eyes

Do not eat or drink during handling Use with adequate ventilation Avoid inhalation of vapours and mists

Don't use empty container before they have been cleaned

Contamined clothing should be changed before entering eating areas.

7.2 Incompatible materials None in particular

Storage conditions Keep the containers properly closed, in a clean, dry and dark space at a temperature

between +5°C and +30°C.

8. Individual control

8.1 Control parameters Calcium hydroxide – CAS: 1305-62-0

OEL Type: EU - TWA(8h): 1 mg/m3 - STEL: 4 mg/m3 - Notes: Respirable fraction OEL

Type: ACGIH - TWA(8h): 5 mg/m3 - Notes: Eye, URT and skin irritation

DNEL Exposure Limit Values Calcium hydroxide - CAS: 1305-62-0

Worker Professional: 4 mg/m3 - Consumer: 4 mg/m3 - Exposure: Human Inhalation -

Frequency: Short Term, local effects

Worker Professional: 1 mg/m3 - Consumer: 1 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, local effects

PNEC Exposure Limit Values Calcium hydroxide - CAS: 1305-62-0

Target: Fresh Water - Value: 0.49 mg/l Target: Marine water - Value: 0.32 mg/l

Target: Microorganisms in sewage treatments - Value: 3 mg/l Target: Soil (agricultural)

- Value: 1080 mg/kg

8.2 Exposure controls

Precautionary measuresDo not eat or drink during work, wash hands at every break and at the end of work.

Breathing protection No safety measures for normal use.

Hands protection Use protective gloves that provide comprehensive protection (PVC,neoprene or rubber)

Eyes protection Use close fitting safety glasses with side shields, don't use eye lenses

Skin protection Use clothing that provides comprehensive protection to the skin (cotton, rubber, PVC)

Exposure limits No safety measures for normal use.

Thermal hazards None
Environmental exposure None
Engineering controls None

SDS LAVA PLASTER 4 April 2023 3 of 8



9. Chemical / Physical characteristics

Physical state Dense paste

Colour White Odour Weak

pH value 12.5 ± 0.20 .

Melting / freezing point: N.A. **Boiling point** N.A. boiling range N.A. Water solubility N.A. Specific weight N.A. **Flammability** N.A. Vapour density N.A. Flash point: N.A. Vapour pressure N.A. **Evaporation rate** N.A. **Relative density** N.A. Solubility in oil N.A. **Partition coefficient** N.A. **Auti-ignition temperature** N.A. **Decomposition temperature** N.A. **Viscosity** N.A. **Explosive properties** N.A. **Oxidising properties** N.A. 9.2 Other information N.A. **Miscibility** N.A. **Fat Solublity** N.A.

10. Stability and reactivity

Conductivity

Substange groups

10.1 Reactivity Stable under normal conditions10.2 Chemical stability Stable under normal conditions

N.A.

N.A.

10.3 Hazardous reactions None

10.4 Conditions to avoidNone in particular. Stable in normal conditions.

10.5 Incompatible materials None in particular.

10.6 Decomposition hazards None

SDS LAVA PLASTER 4 April 2023 4 of 8



11. Toxicological information

11.1 Toxicological effect Specific toxicological information not available Not classified. No data available for the product **Acute toxicity Skin irritation** The product is classified: Skin irritation 2 H315 Serious eye damage The product is classified: Eye damage 1 H318 **Respiratory sensitisation** Not classified. No data available for the product Germ cell mutagenicity Not classified. No data available for the product Carcinogenicity Not classified. No data available for the product Reproductive toxicity Not classified. No data available for the product **STOT-single exposure** Not classified. No data available for the product **STOT-repeated exposure** Not classified. No data available for the product **Aspiration hazards** Not classified. No data available for the product

Toxicological information of the main substances found in

the product

Calcium hydroxide – CAS: 1305-62-0

a) acute toxicity:

Test LD50 – Route: Oral – Species: Rat > 2000 mg/kg
Test: LD50 – Route: Skin – Species: Rabbit > 2500 mg/kg

12. Ecological information

12.1 Toxicity Do not disperse the product in the environment.

Waste waters and residues do not have to be poured into drains, into the ground or in

watercourses.

Not classified for environmental hazards.

No data available for the product

Aquatic acute toxicity Endpoint: LC50 - Species: Fish 50.6 mg/l - Duration h: 96 - Notes: tap water Endpoint:

LC50 - Species: Fish 457 mg/l - Duration h: 96 - Notes: see water Endpoint: EC50 -

Species: Daphnia 49.1 mg/l - Duration h: 48 - Notes: tap water

Endpoint: LC50 - Species: Daphnia 158 mg/l - Duration h: 96 - Notes: see water Endpoint: EC50 - Species: Algae 184.57 mg/l - Duration h: 72 - Notes: tap water Endpoint: NOEC - Species: Algae 48 mg/l - Duration h: 72 - Notes: see water

Aquatic chronic toxicity Endpoint: NOEC - Species: Daphnia 32 mg/l - Duration h: 96

Terrestrial toxicity Endpoint: NOEC 2000 mg/kg - Notes: macroorganism Endpoint: NOEC 12000 mg/kg -

Notes: microorganism

Plant toxicity Endpoint: NOEC 1080 mg/kg - Duration h: 21 - Notes: days

12.1 Persistence degradab. N.A.12.3 Bioaccumulative poten. N.A.12.4 Mobility un soil N.A.

12.5 PBT, **vPvB assessment** cPvB substances: None – PBT substances: nomne

12.6 Other adverse effects None

13. Information on disposal

SDS LAVA PLASTER 4 April 2023 5 of 8



Waste treatment methods Disposal of product residues and waste deriving from its use as well as empty

containers must be in compliance with current local regulations (EU: as per Leg.

Decree 22 dated 5/2/97).

14. Information on transport

14.1 UN number The product is not dangerous under current provisions of the Code of International

Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport

Association (IATA) regulations.

By road non-hazardous material, non-flammable, non-explosive, not subject to regulation

(A.D.R.)

By rail non-hazardous material, non-flammable non-explosive, not subject to regulation (RID)

By sea non-hazardous material, non-flammable, non-explosive, not subject to regulation

(IMDG Code)

By air non-hazardous material, non-flammable, non-explosive, not subject to regulation (IATA)

For US Department of Proper shipping name: none

Transportation: Hazard Class: none ID Number: none

Packaging Group: none

15. Regulatory information

15.1 Safety, health and Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

environmental Dir. 2000/39/EC (Occupational exposure limit validation (EC) n. 1907/2006 (REACH)

regulations/legislation specific for the substance or mixture

Regulation (EC) n. 1907/2008 (REACH Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU)

2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13

CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex

XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: Restriction 3

Restrictions related to the substances contained: No restriction.

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU

(Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso

III): Seveso III category according to Annex 1, part 1 : None

SDS LAVA PLASTER 4 April 2023 6 of 8



15.2 Chemical safety

No Chemical Safety Assessment has been carried out for the mixture.

16. Other information

In conformity with the provisions of Leg. Decree 03/65 and Directive 99/45 EC the product is labeled as follows:

Symbols	Xi	Irritant	
Phrases R	R36/38	Irritating to eyes and skin	
	R41	Risk of serious damage to eyes	
Phrases S	S2	Keep out of the reach of children	
	S24/25	Avoid contact with skin and eyes	
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	
Contains	Calcium hydroxide 21 ÷ 27 %		
Where applicable, refer to the following regulations:			
P.D. 303/56	Health controls		
Leg. Decree 626/94 Safety and health of workers			

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ATE Acute Toxicity Estimate

ATEMix Acute toxicity Estimate (Mixtures)

CAS Chemical Abstracts Service (division of the American Chemical Society).

CLP Classification, Labeling, Packaging.

DNEL Derived No Effect Level.

EINECS European Inventory of Existing Commercial Chemical Substances.

GefStoffVO Ordinance on Hazardous Substances, Germany.

GHS Globally Harmonized System of Classification and Labeling of Chemicals.

IATA International Air Transport Association.

IATA-DGR Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO International Civil Aviation Organization.

ICAO-TI Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG International Maritime Code for Dangerous Goods.

INCI International Nomenclature of Cosmetic Ingredients.

KSt Explosion coefficient.

LC50 Lethal concentration, for 50 percent of test population.

LD50 Lethal dose, for 50 percent of test population

PNEC Predicted No Effect Concentration.

SDS LAVA PLASTER 4 April 2023 7 of 8



RID Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL Short Term Exposure limit.

STOT Specific Target Organ Toxicity.

TLV Threshold Limiting Value.
TWA Time-weighted average

WGK German Water Hazard Class.

The information contained herein is based on our knowledge at the date given below, refers only to the product indicated and does not represent a guarantee of particular qualities.

The user has to make sure of the suitability and completeness of such information in relation with the specific use and always under his responsibility act in accordance with the regulation on health, safety and environmental protection, provided by current laws.

The manufacturer declines all liability for improper use.

This SDS cancels and replaces any preceding release.